











12. Lymperaki E, Makedou K, Iliadis S, Vagdatli E. Effects of acute cigarette smoking on total blood count and markers of oxidative stress in active and passive smokers. *Hippokratia* 2015; 19(4): 293-7.
13. de Zwart LL, Meerman JH, Commandeur JN, Vermeulen NP. Biomarkers of free radical damage applications in experimental animals and in humans. *Free Radic Biol Med* 1999; 26(1-2): 202-26.
14. Kurku H, Kacmaz M, Kisa U, Dogan O, Caglayan O. Acute and chronic impact of smoking on salivary and serum total antioxidant capacity. *J Pak Med Assoc* 2015; 65(2): 164-9.
15. Liu X, Lu J, Liu S. Synergistic induction of hydroxyl radical-induced DNA single-strand breaks by chromium (VI) compound and cigarette smoke solution. *Mutat Res* 1999; 440(1): 109-17.
16. Akalin FA, Baltacioglu E, Alver A, Karabulut E. Lipid peroxidation levels and total oxidant status in serum, saliva and gingival crevicular fluid in patients with chronic periodontitis. *J Clin Periodontol* 2007; 34(7): 558-65.
17. Knight JA, Pieper RK, McClellan L. Specificity of the thiobarbituric acid reaction: Its use in studies of lipid peroxidation. *Clin Chem* 1988; 34(12): 2433-8.
18. Vlkova B, Stanko P, Minarik G, Tothova L, Szemes T, Banasova L, et al. Salivary markers of oxidative stress in patients with oral premalignant lesions. *Arch Oral Biol* 2012; 57(12): 1651-6.
19. Lykkesfeldt J. Malondialdehyde as biomarker of oxidative damage to lipids caused by smoking. *Clin Chim Acta* 2007; 380(1-2): 50-8.
20. De La Pena VA, Diz Dios P, Tojo Sierra R. Relationship between lactate dehydrogenase activity in saliva and oral health status. *Arch Oral Biol* 2007; 52(10): 911-5.
21. Okada A, Nomura Y, Matsumoto K, Yamane K, Yoshida T, Hatano M, et al. Prediction of the prognosis after initial periodontal treatment by salivary biomarkers. *Asian Pac J Dent* 2015; 15(2): 25-31.
22. Kim AS, Ko HJ, Kwon JH, Lee JM. Exposure to secondhand smoke and risk of cancer in never smokers: A meta-analysis of epidemiologic studies. *Int J Environ Res Public Health* 2018; 15(9).
23. Polanska K, Krol A, Kaluzny P, Ligocka D, Mikolajewska K, Shaheen S, et al. Estimation of saliva cotinine cut-off points for active and passive smoking during Pregnancy-Polish Mother and Child Cohort (REPRO\_PL). *Int J Environ Res Public Health* 2016; 13(12).
24. Kasapoglu M, Ozben T. Alterations of antioxidant enzymes and oxidative stress markers in aging. *Exp Gerontol* 2001; 36(2): 209-20.
25. Shetty SR, Chadha R, Babu S, Kumari S, Bhat S, Acharya S. Salivary lactate dehydrogenase levels in oral leukoplakia and oral squamous cell carcinoma: A biochemical and clinicopathological study. *J Cancer Res Ther* 2012; 8 Suppl 1: S123-S125.
26. Singh K, Kaur S. Impact on malondialdehyde and superoxide dismutase in smokers of north Indian Punjabi population. *Int J Health Sci Res* 2015; 5(5): 84-9.
27. Rao K, Babu SG, Shetty UA, Castellan M, Shetty SR. Serum and salivary lactate dehydrogenase levels as biomarkers of tissue damage among cigarette smokers. A biochemical study. *Stomatologija* 2017; 19(3): 91-6.
28. Greabu M, Battino M, Totan A, Mucora M, Mitrea N, Totan C, et al. Effect of gas phase and particulate phase of cigarette smoke on salivary antioxidants. What can be the role of vitamin C and pyridoxine? *Pharmacol Rep* 2007; 59(5): 613-8.
29. Kurtul N, Gokpinar E. Salivary lipid peroxidation and total sialic acid levels in smokers and smokeless tobacco users as Mevius powder. *Mediators Inflamm* 2012; 2012: 619293.